



IPC6242SR-X22U

Zhejiang Uniview Technologies Co., Ltd ()

IP

IP

150

H.264

OSD-

60

ONVIF.

6


	1/1,9" 2,0-
	6,5...143
	70...3,76°
	, F1.5...F3.4
	/ , 1/6...1/8000
	: 0,002 F1.6, 50IRE \\ : 0,0002 F1.6, 50IRE
/	
/	52
	1920 × 1080
	H.264/MJPEG
	60 / 1080 60 / 720 25 / D1



OSD	8 OSD-
	4
	G.711
	microSD 64
	L2TP,IPv4,IGMP,ICMP,ARP,TCP,UDP,DHCP,PPPoE,RT P,RTSP,Qos,NTP,FTP,HTTP,SNMP,SIP
	ONVIF, IMOS, API
	360° ()
	0,1...240°/
	300°/
	-15...+90°()
	0,1...160°/
	240°/
	255
	16 32
	16 15
	, 35 , 2 (-)
	, 600 , 2 (-)
/	2/1
	1 RJ45 10M/100M Base-TX Ethernet
	1 RS-485
	24 24
	12...46 27 (-) 12 ()
	Ø227 x 359,4
	5,5
	-40...+65°
	90% ()
	IP66



Габариты (мм)



Варианты установки



На потолке

На столбе

На стене

На углу стены

На столбе с адаптером

